



भारतीय मानक ब्यूरो
Bureau of Indian Standards
The National Standards Body of India

Pune Branch Office
657-660, MAIDC
Building, Market
Address: Yard, Gultekdi,
PUNE,
MAHARASHTRA,
411037

Phone: 020-2427 4803,
2427 4806
E-Mail: pnbo@bis.gov.in
Web: www.bis.org.in,
www.manakonline.in

Our Ref :PNBO/CM/L 7500234811/2008

Dated: 28-02-2022

Subject: Grant of BIS Product Certification Licence No 7500234811 as per IS 16647:2017

M/S DELTA IRRIGATION INDIA LLP
PLOT NO. F-1/2,
KAGAL FIVE STAR MIDC,
TAL. KAGAL,
DIST KOLHAPUR
MAHARASHTRA
INDIA
416236

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product: ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY

Grade/Class/Type/Variety
Material Classification: 500, Design Coefficient(C): 1.4, Class of Pipes(Pressure Rating): PN 12.5, Nominal Size: 63mm, 75mm, 90mm and 110mm, End of Pipes: Plain ended pipes and Integrally socketed for elastomeric sealing ring jointing
Material Classification: 500, Design Coefficient(C): 1.4, Class of Pipes(Pressure Rating): PN 12.5, Nominal Size: 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm and 315mm, End of Pipes: Plain ended pipes and Integrally socketed for elastomeric sealing ring jointing
Material Classification: 500, Design Coefficient(C): 1.4, Class of Pipes(Pressure Rating): PN 16, Nominal Size: 63mm,75mm, 90mm and 110mm, End of Pipes: Plain ended pipes and Integrally socketed for elastomeric sealing ring jointing

P.T.O.

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.
2. The number assigned to this licence is CM/L- 7500234811 which has been made operative from 2022-02-27 and is valid upto 2023-02-26. The licence number should invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee as notified is payable by you with effect from 2022-02-27 for the period of validity of the licence in advance.

3. Minimum marking fee stipulated under Scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. AA75PC2021002188 dated 2022-02-19 for the licence fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.


9. This licence is granted for your manufacturing premises situated at PLOT NO. F-1/2, KAGAL FIVE STAR MIDC, TAL. KAGAL, KOLHAPUR, MAHARASHTRA, INDIA, 416236. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. You are also advised to make yourself and other employees in your organisation aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed thereunder especially the implications in case of any intentional or unintentional non-adherence.

11. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on 2022-02-23 by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

12. The Original Licence document is enclosed for your reference and record.

Thanking You,



Signature of Designated authority
Name Hemant B Ade
Designation SCIENTIST-E & HEAD

Encl: As above

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल

Licence No. CM/L- 7500234811

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स डेल्टा इरिगेशन इंडिया एलएलपी

प्लॉट नं एफ-1/2, कागल फाइव स्टार एमआयडीसी, तालु कागल, जि कोल्हापूर,
महाराष्ट्र, इंडिया, 416236

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिन्ह का इस अनुसूची के तीसरे स्तंभ में दी गई किस्मो पर, उपयोग करने के लिए अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मो पर चिन्ह का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबंध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/S DELTA IRRIGATION INDIA LLP
PLOT NO. F-1/2, KAGAL FIVE STAR MIDC, TAL. KAGAL,
DIST KOLHAPUR, MAHARASHTRA, INDIA, 416236

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंद अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति पहली अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This licence carries the obligations on the part of licence as condition of licence which are given in Annexure attached herewith. The licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I

अनुसूची

SCHEDULE

लाइसेंस सं. सीएम/एल
LICENCE NO. CM/L - 7500234811

नाम : मेसर्स डेल्टा इरिगेशन इंडिया एलएलपी

फैक्ट्री एड्रेस : प्लॉट नं एफ-1/2, कागल फाइव स्टार एमआयडीसी, तालु कागल,
जि कोल्हापूर, महाराष्ट्र, इंडिया, 416236

विधिमान्यता : सताइस फरवरी दो हजार बाईस से छब्बीस फरवरी दो हजार तेइस

Name : M/S DELTA IRRIGATION INDIA LLP

Factory Add : PLOT NO. F-1/2, KAGAL FIVE STAR MIDC, TAL. KAGAL,
DIST KOLHAPUR, MAHARASHTRA, INDIA, 416236

Validity : From Twenty Seventh February Two Thousand Twenty Two to Twenty Sixth
February Two Thousand Twenty Three



मानक चिन्ह STANDARD MARK	भारतीय मानक INDIAN STANDARD(S)	अनुज्ञप्ति का विषय क्षेत्र SCOPE OF LICENCE	चिन्हांकन शुल्क MARKING FEE
(1)	(2)	(3)	(4)
IS 16647  CM/L-7500234811	IS 16647 : 2017 ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY	Material Classification: 500, Design Coefficient(C): 1.4, Class of Pipes(Pressure Rating): PN 12.5, Nominal Size: 63mm, 75mm, 90mm and 110mm, End of Pipes: Plain ended pipes and Integrally socketed for elastomeric sealing ring jointing Material Classification: 500, Design Coefficient(C): 1.4, Class of Pipes(Pressure Rating): PN 12.5, Nominal Size: 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm and 315mm, End of Pipes: Plain ended pipes and Integrally socketed for elastomeric sealing ring jointing Material Classification: 500, Design Coefficient(C): 1.4, Class of Pipes(Pressure Rating): PN 16, Nominal Size: 63mm,75mm, 90mm and 110mm, End of Pipes: Plain ended pipes and Integrally socketed for elastomeric sealing ring jointing	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 160000.00 के साथ सभी इकाईयों के लिए ₹ 79.75 प्रति इकाई इकाई: 1 TON ₹ 79.75 per unit for all units with a Minimum Marking Fee of ₹ 160000.00 during an operative period of one year Unit: 1 TON एक प्रचालन वर्ष के लिए न्यूनतम चिन्हांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज अठाईस फरवरी दो हजार बाईस को हस्ताक्षरित तथा मोहरबंद किया गया।

Signed, Sealed and Dated this Twenty Eighth February Two Thousand Twenty Two.

कृते भारतीय मानक ब्यूरो
for BUREAU OF INDIAN STANDARDS

हमंत बी.आडे

हस्ताक्षर/Signature : Hemant B Ade

पदनामित प्राधिकारी का नाम/Name of Designated Authority : SCIENTIST-E & HEAD



Annexure

(Licence No. CM/L-7500234811)

Conditions of the licence

1. The design of Standard Mark shall be identical to the facsimile given in the licence.
2. The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
3. The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
4. The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non conforming or outside the scope of the licence.
5. If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non conforming goods.
6. The Standard Mark shall not be used or applied in relation to any goods, article process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
7. The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirements.
8. The licensee shall maintain records as specified by the Bureau from time to time.
9. The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.
10. The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
11. If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
12. The licence shall not be transferred to any person without approval of the Bureau.
13. If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
14. The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.

हेमंत बी. आडे

(Hemant B.Ade)
Scientist-E & Head

